

Safety Data Sheet



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

1/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Dedicate® Turf Fungicide
Product code (UVP) 05686600

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Pty Ltd.
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.environmentalscience.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Australia. GHS Hazardous Chemical Information List

Reproductive toxicity: Category 2

Acute aquatic toxicity: Category 1

Chronic aquatic toxicity: Category 1

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Tebuconazole
Trifloxystrobin

Signal word: Warning

Hazard statements

H361 Suspected of damaging fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

2/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

- P202 Do not handle until all safety precautions have been read and understood.
 P281 Use personal protective equipment as required.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Tebuconazole:Trifloxystrobin 200:100g/l

Chemical nature Suspension concentrate (=flowable concentrate)(SC)

Chemical Name	CAS-No.	Concentration [%]
Tebuconazole	107534-96-3	18.20
Trifloxystrobin	141517-21-7	9.10
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.005 - <= 0.05
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	>= 0.0002 - <= 0.0015
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

- General advice** Remove contaminated clothing immediately and dispose of safely. Move out of dangerous area. Place and transport victim in stable position (lying sideways).
- Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
- Skin contact** Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
- Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms** No symptoms known or expected.



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

3/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO₂), Foam, Sand

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO_x), Hydrogen fluoride

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Clean contaminated floors and objects thoroughly, observing environmental regulations. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

4/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

destroyed (burnt). Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m ³ (SK-ABS)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment - End user

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure.

Hand protection Elbow-length PVC or nitrile gloves

Skin and body protection Cotton overall buttoned to the neck and wrist

General protective measures If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour white to light beige

Odour weak, characteristic

pH 6.0 - 8.0 at 100 % (23 °C)

Flash point > 100 °C
Not relevant; aqueous solution

Density ca. 1.10 g/cm³ at 20 °C

Partition coefficient: n-octanol/water Tebuconazole: log Pow: 3.7
Trifloxystrobin: log Pow: 4.5 at 25 °C

9.2 Other information Further safety related physical-chemical data are not known.



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

5/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) ca. 2,500 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 2.43 mg/l
Exposure time: 4 h
Highest attainable concentration.
Determined in the form of a respirable aerosol.
Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg
Test conducted with a similar formulation.

Skin irritation No skin irritation (Rabbit)
Test conducted with a similar formulation.

Eye irritation No eye irritation (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Magnusson & Kligman test
Test conducted with a similar formulation.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

6/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Assessment repeated dose toxicity

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Low acute inhalation toxicity., Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

No skin irritation

No eye irritation

Low acute oral toxicity., Ingestion of large amounts may be harmful (see Signs and Symptoms).

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.286 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 0.224 mg/l
Exposure time: 48 h



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

7/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

Toxicity to aquatic plants (Raphidocelis subcapitata (freshwater green alga)) 0.99 mg/l
Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Tebuconazole:
Not rapidly biodegradable
Trifloxystrobin:
Not rapidly biodegradable

Koc Tebuconazole: Koc: 769
Trifloxystrobin: Koc: 2377

12.3 Bioaccumulative potential

Bioaccumulation Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.
Trifloxystrobin: Bioconcentration factor (BCF) 431
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Tebuconazole: Slightly mobile in soils
Trifloxystrobin: Slightly mobile in soils

12.5 Other adverse effects

Additional ecological information The ecological data refer to a similar formulation.

SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:
Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

8/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE, TRIFLOXYSTROBIN SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 62638

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Dedicate® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)



Dedicate® Turf Fungicide

Version 2 / AUS
102000011306

9/9
Revision Date: 21.06.2016
Print Date: 24.06.2016

CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--

END OF SDS