

Product Name: VIRKON S THE BROAD SPECTRUM VIRUCIDAL BACTERICIDAL FUNGICIDAL

DISINFECTANT

APVMA Approval No: 48185/ 121771

Label Name:	VIRKON S THE BROAD SPECTRUM VIRUCIDAL BACTERICIDAL FUNGICIDAL DISINFECTANT	
Signal Headings:	POISON	
	KEEP OUT OF REACH OF CHILDREN	
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING	
Constituent	494g/kg POTASSIUM PEROXOMONOSULFATE TRIPLE SALT	
Statements:	132g/kg SODIUM DODECYL BENZENE SULFONATE 15g/kg SODIUM CHLORIDE	
	Also contains: 44g/kg SULFAMIC ACID	
Mode of Action:		
Statement of Claims:	A disinfectant cleanser for use in cleaning and disinfecting industrial, animal and agricultural equipment and facilities.	
Net Contents:	#2.5kg	
	#50x50gSac 10kg	
	1kg	
	2.5kg	
	50g 5kg	
	JNS	
Restraints:		
Directions for Use:		

Other Limitations:	NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION		
Withholding Periods:			
Trade Advice:			
General Instructions:			
Resistance Warning:			
,			
Precautions:			
,			
Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEAN AND THE ENVIRONMENT: Do NOT contaminate any ponds, dams, streams or any other natural water systems with any rinsate from sprayed areas, unused spray mix, used containers or products powder.		
Storage and Disposal:	(1kg, 2.5kg, 5kg, 10kg)		
ызрозаі.	STORAGE AND DISPOSAL: Store in a cold dry place below 30°C (room Temperature). Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product. If there is excess spray mix to dispose of, it is best sprayed lightly over the entire surface already treated.		
	(50g)		
	STORAGE AND DISPOSAL: Store in a cold dry place below 30°C (room Temperature). Single-rinse or shake remainder into spray tank/water/dip/drench, etc. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.		

Safety Directions:

Harmful if swallowed. The product is strongly acidic. Corrosive. Attacks eye and skin. Will irritate the nose and throat. Avoid contact with eye and skin Do not inhale dust. When opening the container and preparing product for use wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), PVC or rubber apron, elbow length chemical resistant gloves, face shield or goggles and

	impervious footwear. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.		
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.		
First Aid Warnings:			

DIRECTIONS FOR USE

Situation	Dilution Rate	Application Rate	Critical Comments
Cleaning and Disinfecting Equipment and other non-porous surfaces Cleansing porous surfaces	1:200 (0.5%)	300 – 400ml/m²	Rinse product contacting surface with potable water after use. When prolonged contact with other metal surfaces is expected rinse with potable water. Rinse application equipment after use. It is not necessary to rinse sprayed surfaces unless Government regulations state otherwise (e.g. product contacting surface in abattoirs-rinse with potable water) or to prevent corrosion of metal surfaces.
Disinfection for precleaned greenhouse surfaces and equipment	1:100 (1%)		Remove all crop debris, strings and other deposits from structures, empty trays, pots and pruning knives. Power wash all the dust off the covering and superstructure and let dry
Water and irrigation system disinfection	1:200 (0.5%) - 1:100 (1%)		Dose header tank and run disinfection solution through irrigation lines. Leave for 10 minutes then drain and rinse.
Routine disinfection of footware and wheel dips.	1:100 (10grams of Virkon S to every 1 litre of water)		Fill a suitable container with water adding 50 grams of Virkon® S to every 5 litres of water (1:100 dilution rate), stir until dissolved. Provide two hand brushes with every foot dip - one to remove organic matter prior to disinfection and one to use within the foot dip to wash the boot. The presence of organic matter will reduce the efficacy of the dip. Solution should be replaced on a daily basis or earlier if contaminated. Prior to entering the site vehicles should have their wheels and wheel arches cleaned of mud and organic deposits. Vehicles should then pass through a wheel dip filled with, or have its wheels sprayed with, a solution of
Aerial misting and fogging	1:100 (1%)	3 L/10m ²	Virkon® S. Use either a fogging machine, pressure washer or knapsack sprayer on it's finest mist setting, to apply the prepared solution until the area is moist according to manufacturer's use directions. Rinse equipment with water after use. Do not allow people to enter the area until fog or mist has settled.

GENERAL INSTRUCTIONS - For effective control of viruses, bacteria and fungi, can be applied to surfaces to clean and disinfect in a one step operation. Virkon® S is intended to disinfect inanimate environmental surfaces, glasshouse structures, equipment, utensils, trays, containers, and vehicles in greenhouses and other horticultural settings prior to introduction or reintroduction of plants, seeds, or soil. It is not intended to directly affect agricultural production and must not be applied to plants, seeds, or soil. If necessary, remove or cover these items prior to use of the product.

Quantity of solution required	Dilution rate required			
	1% (1:100)	0.5% (1:200)		
	Quantity of Virkon® S required			
10L	100g	50g		
20L	200g	100g		
50L	500g	250g		
100L	1kg	500g		
200L	2kg	1kg		

Mixing instructions:

- (1) Select quantity of solution required and appropriate dilution rate.
- (2) Measure out required amount of VIRKON® S indicated using the measures provided.
- (3) Add VIRKON® S to the water and stir to dissolve.
- (4) To measure larger quantities use the yellow measure cap one level capful contains approximately 500g.

When diluted to recommended rates solutions are non-irritant, non-staining, have no persistent residues and are of low toxicity.